




**Item Code:** CSet – Ceiling to floor cable with tensioning system.  
**Description:** 13' & 22' length, 1/16" galvanized air craft cable, ceiling to floor mounting system.  
**Common Applications:** Graphic displays, partitions, shelving.



**Item Code:** WWPC – Wall to wall cable with tensioning system.  
**Description:** 7' length, 1/16" galvanized air craft cable, wall to wall mounting system. Cables are mounted 1 1/4" off the wall.  
**Common Applications:** Graphic displays, brochure displays, directories.



**Item Code:** CHSet – Ceiling hung cable system.  
**Description:** 7' length, 1/16" galvanized air craft cable, ceiling hung mounting system. Includes connector for panel up to 3/8" thick. For added security, a shallow 5/16" diameter indent should be drilled in panel at set screw connection points.  
**Common Applications:** Signage.




**Item Code:** CHLoop – Ceiling hung cable system for T-Bar.  
**Description:** 7' length, 1/16" galvanized air craft cable, ceiling hung mounting system. Includes connector for panel up to 3/8" thick. For added security, a shallow 5/16" diameter indent should be drilled in panel at set screw connection points. Metal T-Bar clip included.  
**Common Applications:** Signage.







**Item Code:** VC – Vertical connector.  
**Description:** Connector for panel up to 3/8" thick.  
**Common Applications:** Graphic displays, brochure displays, partitions.




**Item Code:** VCD – Double vertical connector.  
**Description:** Connector for panel up to 3/8" thick.  
**Common Applications:** Graphic displays, brochure displays, partitions.



**Item Code:** HC – Horizontal connector  
**Description:** Connector for shelf up to 3/8" thick.  
**Common Applications:** Shelving.




**Item Code:** HCD – Double horizontal connector.  
**Description:** Connector for shelf up to 3/8" thick.  
**Common Applications:** Shelving.





**Item Code:** SC – Side connector  
**Description:** Connector for panel greater than 3/8" thick.  
**Common Applications:** Partitions, cubes, banners.



**Item Code:** DC – Drilled connector.  
**Description:** Connector for panel greater than 3/8" thick.  
Drill hole diameter is 5/16".  
**Common Applications:** Shelving, cubes.

